




ASR - 01



Element	<input type="text"/>	A	Pt- 100 x 1, Simplex
		B	Pt- 100 x 2, Duplex
		O	Consult Factory
Configuration	<input type="text"/>	J2	2 - Wire
		J3	3 - Wire
		O	Consult Factory
Temp. Range	<input type="text"/>	T1	-20 to 150°C
		O	Consult Factory
Sheath Material	<input type="text"/>	316	SS 316
		O	Consult Factory
Sheath "OD"	<input type="text"/>	6	6mm
		O	Consult Factory
Type of Cable	<input type="text"/>	A	PTFE / SILICON
		O	Consult Factory
Length of Cable	<input type="text"/>	<input type="text" value="Specify"/>	
Termination	<input type="text"/>	<input type="text" value="Refer Termination Styles Sheet"/>	
Nominal Length "L"	<input type="text"/>	<input type="text" value="Specify"/>	

Process Precision Instruments


101, Diamond Industrial Estate, Navghar, Vasai Road (E), Dist. Palghar - 401210, Maharashtra, India

Sales : 8208199048 / 8208141446 Support : 07498799226 / 08767395333

sales@ppiindia.net www.ppiindia.net



ASR - 02



Element	<input type="text"/>	A	Pt- 100 x 1, Simplex
		O	Consult Factory
Configuration	<input type="text"/>	J2	2 - Wire
		J3	3 - Wire
		O	Consult Factory
Temp. Range	<input type="text"/>	T1	-20 to 250°C
		O	Consult Factory
Sheath Material	<input type="text"/>	316	SS 316
		O	Consult Factory
Sheath "OD"	<input type="text"/>	2	2mm
		O	Consult Factory
Type of Cable	<input type="text"/>	A	PTFE / PTFE
		B	PTFE / FG / SSB
Length of Cable	<input type="text"/>	<input type="text" value="Specify"/>	
Termination	<input type="text"/>	<input type="text" value="Refer Termination Styles Sheet"/>	
Nominal Length "L"	<input type="text"/>	<input type="text" value="Specify"/>	

Process Precision Instruments


101, Diamond Industrial Estate, Navghar, Vasai Road (E), Dist. Palghar - 401210, Maharashtra, India

Sales : 8208199048 / 8208141446 Support : 07498799226 / 08767395333

sales@ppiindia.net www.ppiindia.net



ASR - 03



Element	<input type="text"/>	A	Pt- 100 x 1, Simplex
		O	Consult Factory
Configuration	<input type="text"/>	J2	2 - Wire
		J3	3 - Wire
		O	Consult Factory
Temp. Range	<input type="text"/>	T1	-20 to 250°C
		O	Consult Factory
Sheath Material	<input type="text"/>	316	SS 316
		O	Consult Factory
Sheath "OD"	<input type="text"/>	2	2mm
		O	Consult Factory
Type of Cable	<input type="text"/>	A	PTFE / PTFE
		B	PTFE / FG / SSB
Length of Cable	<input type="text"/>	<input type="text" value="Specify"/>	
Termination	<input type="text"/>	<input type="text" value="Refer Termination Styles Sheet"/>	
Nominal Length "L"	<input type="text"/>	<input type="text" value="Specify"/>	

Process Precision Instruments



101, Diamond Industrial Estate, Navghar, Vasai Road (E), Dist. Palghar - 401210, Maharashtra, India

Sales : 8208199048 / 8208141446 Support : 07498799226 / 08767395333

sales@ppiindia.net www.ppiindia.net



ASR - 04



Process Precision Instruments

101, Diamond Industrial Estate, Navghar, Vasai Road (E), Dist. Palghar - 401210, Maharashtra, India

Sales : 8208199048 / 8208141446 Support : 07498799226 / 08767395333

sales@ppiindia.net www.ppiindia.net