




WT - 01



Element	<input type="text"/>	<table border="1"> <tr><td>K</td><td>Chromel / Alumel</td></tr> <tr><td>J</td><td>Iron / Constantan</td></tr> <tr><td>O</td><td>Consult Factory</td></tr> </table>	K	Chromel / Alumel	J	Iron / Constantan	O	Consult Factory
K	Chromel / Alumel							
J	Iron / Constantan							
O	Consult Factory							
Junction	<input type="text"/>	<table border="1"> <tr><td>GN</td><td>Grounded</td></tr> <tr><td>UN</td><td>Ungrounded</td></tr> </table>	GN	Grounded	UN	Ungrounded		
GN	Grounded							
UN	Ungrounded							
Temp. Range	<input type="text"/>	<input type="text" value="Specify"/>						
Washer Material	<input type="text"/>	<table border="1"> <tr><td>B</td><td>Brass</td></tr> <tr><td>O</td><td>Consult Factory</td></tr> </table>	B	Brass	O	Consult Factory		
B	Brass							
O	Consult Factory							
Washer "OD / ID"	<input type="text"/>	<table border="1"> <tr><td>A</td><td>1/2" / 1/4"</td></tr> <tr><td>O</td><td>Consult Factory</td></tr> </table>	A	1/2" / 1/4"	O	Consult Factory		
A	1/2" / 1/4"							
O	Consult Factory							
Type of Cable	<input type="text"/>	<table border="1"> <tr><td>A</td><td>PTFE / PTFE</td></tr> <tr><td>B</td><td>FG / FG / SSB</td></tr> </table>	A	PTFE / PTFE	B	FG / FG / SSB		
A	PTFE / PTFE							
B	FG / FG / SSB							
Length of Cable	<input type="text"/>	<input type="text" value="Specify"/>						
Termination	<input type="text"/>	<input type="text" value="Refer Termination Styles Sheet"/>						

Process Precision Instruments

101, Diamond Industrial Estate, Navghar, Vasai Road (E), Dist. Palghar - 401210, Maharashtra, India


Sales : 8208199048 / 8208141446 Support : 07498799226 / 08767395333

sales@ppiindia.net www.ppiindia.net



THERMOCOUPLE BAYONET (SPRING LOADED)

BT - 01



Element	<input type="text"/>	K	Chromel / Alumel
		J	Iron / Constantan
		O	Consult Factory
Junction	<input type="text"/>	GN	Grounded
		UN	Ungrounded
Temp. Range	<input type="text"/>	<input type="text" value="Specify"/>	
Sheath Material	<input type="text"/>	316	SS 316
		O	Consult Factory
Tip "OD"	<input type="text"/>	3	3mm
		4.7	4.7mm
		6	6mm
		O	Consult Factory
Tip "L"	<input type="text"/>	<input type="text" value="Specify"/>	
Holder (ID)	<input type="text"/>	A	1/2"
		B	16mm
		O	Consult Factory
Type of Cable	<input type="text"/>	A	PTFE / PTFE
		B	FG / FG / SSB
		O	Consult Factory
Length of Cable	<input type="text"/>	<input type="text" value="Specify"/>	
Termination	<input type="text"/>	<input type="text" value="Refer Termination Styles Sheet"/>	

Process Precision Instruments

101, Diamond Industrial Estate, Navghar, Vasai Road (E), Dist. Palghar - 401210, Maharashtra, India


Sales : 8208199048 / 8208141446 Support : 07498799226 / 08767395333

sales@ppiindia.net www.ppiindia.net



THERMOCOUPLE BAYONET (SPRING LOADED) WITH ADAPTER

BT - 02



Element	<input type="text"/>	K	Chromel / Alumel
		J	Iron / Constantan
		O	Consult Factory
Junction	<input type="text"/>	GN	Grounded
		UN	Ungrounded
Temp. Range	<input type="text"/>	<input type="text" value="Specify"/>	
Sheath Material	<input type="text"/>	316	SS 316
		O	Consult Factory
Tip "OD"	<input type="text"/>	3	3mm
		4.7	4.7mm
		6	6mm
		O	Consult Factory
Tip "L"	<input type="text"/>	<input type="text" value="Specify"/>	
Holder (ID)	<input type="text"/>	A	1/2"
		B	16mm
		O	Consult Factory
Adapter	<input type="text"/>	A	1/8" BSP
		B	1/2" BSW
		C	M 12
		D	M 14
		O	Consult Factory
Type of Cable	<input type="text"/>	A	PTFE / PTFE
		B	FG / FG / SSB
		O	Consult Factory
Length of Cable	<input type="text"/>	<input type="text" value="Specify"/>	
Termination	<input type="text"/>	<input type="text" value="Refer Termination Styles Sheet"/>	

Process Precision Instruments

101, Diamond Industrial Estate, Navghar, Vasai Road (E), Dist. Palghar - 401210, Maharashtra, India


Sales : 8208199048 / 8208141446 Support : 07498799226 / 08767395333

sales@ppiindia.net www.ppiindia.net



THERMOCOUPLE BAYONET (ADJUSTABLE)

BT - 03



Element	<input type="text"/>	K	Chromel / Alumel
		J	Iron / Constantan
		O	Consult Factory
Junction	<input type="text"/>	GN	Grounded
		UN	Ungrounded
Temp. Range	<input type="text"/>	<input type="text" value="Specify"/>	
Sheath Material	<input type="text"/>	316	SS 316
		O	Consult Factory
Tip "OD"	<input type="text"/>	3	3mm
		4.7	4.7mm
		6	6mm
		O	Consult Factory
Tip "L"	<input type="text"/>	<input type="text" value="Specify"/>	
Holder (ID)	<input type="text"/>	A	1/2"
		B	16mm
		O	Consult Factory
Type of Cable	<input type="text"/>	A	PTFE / PTFE
		B	FG / FG / SSB
		O	Consult Factory
Length of Cable	<input type="text"/>	<input type="text" value="Specify"/>	
Termination	<input type="text"/>	<input type="text" value="Refer Termination Styles Sheet"/>	

Process Precision Instruments

📍 101, Diamond Industrial Estate, Navghar, Vasai Road (E), Dist. Palghar - 401210, Maharashtra, India


☎ Sales : 8208199048 / 8208141446 Support : 07498799226 / 08767395333

✉ sales@ppiindia.net 🖱 www.ppiindia.net



THERMOCOUPLE BAYONET (ADJUSTABLE) WITH ADAPTER

BT - 04



Element	<input type="text"/>	K	Chromel / Alumel
		J	Iron / Constantan
		O	Consult Factory
Junction	<input type="text"/>	GN	Grounded
		UN	Ungrounded
Temp. Range	<input type="text"/>	<input type="text" value="Specify"/>	
Sheath Material	<input type="text"/>	316	SS 316
		O	Consult Factory
Tip "OD"	<input type="text"/>	3	3mm
		4.7	4.7mm
		6	6mm
		O	Consult Factory
Tip "L"	<input type="text"/>	<input type="text" value="Specify"/>	
Holder (ID)	<input type="text"/>	A	1/2"
		B	16mm
		O	Consult Factory
Adapter	<input type="text"/>	A	1/8" BSP
		B	1/2" BSW
		C	M 12
		D	M 14
		O	Consult Factory
Type of Cable	<input type="text"/>	A	PTFE / PTFE
		B	FG / FG / SSB
		O	Consult Factory
Length of Cable	<input type="text"/>	<input type="text" value="Specify"/>	
Termination	<input type="text"/>	<input type="text" value="Refer Termination Styles Sheet"/>	

Process Precision Instruments

101, Diamond Industrial Estate, Navghar, Vasai Road (E), Dist. Palghar - 401210, Maharashtra, India

Sales : 8208199048 / 8208141446 Support : 07498799226 / 08767395333

sales@ppiindia.net www.ppiindia.net